

## Запорная арматура ПВХ производства Pimtas

# ТЕХНИК KATALOG

PVC-U

[pvcu.ru](http://pvcu.ru)


+7 (495) 241-22-48  
[info@pvcu.ru](mailto:info@pvcu.ru)

**ПВХ Шаровой кран, муфтовое окончание под клеевое соединение, EPDM**  
*U-PVC Solvent Cement True Union Ball Valve for Water*



d Диам	Давление PN	EPDM Артикул EPDM O-Ring Code	Kr/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	kv l/min	Z (mm)	L1 (mm)	L (mm)	H (mm)	H1 (mm)
16	16	202 00 016 2	1	55	12	70	50	42	80	47	27
20	16	202 00 020 2	0.14	55	15	185	52	45	85	47	27
25	16	202 00 025 2	0.18	75	20	350	58	49	95	51	31
32	16	202 00 032 2	0.25	60	25	700	61	54	107	63	33
40	16	202 00 040 2	0.43	30	32	1000	73	66	128	67	41
50	16	202 00 050 2	0.65	20	40	1600	82	75	154	86	46
63	16	202 00 063 2	1.13	12	50	3100	95	89	172	101	58
75	16	202 00 075 2	1.47	5	65	5000	118	111	196	110	73
90	16	202 00 090 2	3.58	4	80	7000	139	126	241	137	89
110	16	202 00 110 2	5.43	2	100	11000	165	153	289	150	105

**ПВХ Шаровой кран с внутренней резьбой, EPDM**  
*U-PVC Both Sides Female Threaded True Union Ball Valve for Water*




d Диам	Rp (inch)	EPDM Артикул EPDM O-Ring Code	Kr/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	kv l/min	Z (mm)	L1 (mm)	L (mm)	H (mm)	H1 (mm)	Давление PN
16	3/8"	204 00 016 2	0.19	55	12	70	50	42	80	47	27	16
20	1/2"	204 00 020 2	0.14	55	15	185	52	45	85	47	27	16
25	3/4"	204 00 025 2	0.19	75	20	350	58	49	95	51	31	16
32	1"	204 00 032 2	0.24	60	25	700	61	54	107	63	33	16
40	1 1/4"	204 00 040 2	0.42	30	32	1000	73	66	128	67	41	16
50	1 1/2"	204 00 050 2	0.66	20	40	1600	82	75	154	86	46	16
63	2"	204 00 063 2	1.17	12	50	3100	95	89	172	101	58	16
75	2 1/2"	204 00 075 2	1.48	9	65	5000	118	111	196	110	73	16
90	3"	204 00 090 2	3.56	4	80	7000	139	126	241	137	89	16
110	4"	204 00 110 2	5.35	2	100	11000	165	153	289	150	105	16

**ПВХ Шаровой кран, фланцевое окончание, EPDM**  
*U-PVC Both Sides Female Threaded Ball Valve for Water*




d Диам	Давление PN	EPDM Артикул EPDM O-Ring Code	Kr/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	kv l/min	Z (mm)	L1 (mm)	L (mm)	H (mm)	H1 (mm)	D1 (mm)	D2 (mm)	n (mmx Adet)
20	16	208 00 020 2	0.36	40	15	185	52	45	123	47	27	65	95	14 x 4
25	16	208 00 025 2	0.47	30	20	350	58	49	140	51	31	75	105	14 x 4
32	16	208 00 032 2	0.66	25	25	700	61	54	158	63	33	85	115	14 x 4
40	16	208 00 040 2	1.08	20	32	1000	73	66	186	67	42	100	140	18 x 4
50	16	208 00 050 2	1.44	10	40	1600	82	75	231	86	46	110	150	18 x 4
63	16	208 00 063 2	2.29	10	50	3100	95	89	253	101	58	125	165	18 x 4
75	16	208 00 075 2	2.99	4	65	5000	118	111	291	110	73	145	185	18 x 4
90	16	208 00 090 2	5.7	2	80	7000	139	126	353	137	90	160	200	18 x 8
110	16	208 00 110 2	8.05	1	100	11000	165	153	431	150	106	180	220	18 x 8

**ПВХ Трехходовой шаровой кран, Т-образный шар**  
*U-PVC Three Ways Ball Valve (T Port)*



d Диам	Давление PN	Артикул Code	Kr/шт Kg/Pcs	Шт/кор Box/Pcs	D (mm)	L (mm)	L1 (mm)	L2 (mm)	L3 (mm)	L4 (mm)	L5 (mm)	L6 (mm)	L7 (mm)	H (mm)
20	10	210 01 020 1	0.25	55	45	134	78	72	139	25	36	67	70	50
25	10	210 01 025 1	0.36	75	53	156	92	86	161	25	43	78	81	60
32	10	210 01 032 1	0.54	60	65	172	100	96	177	25	48	86	89	68
40	10	210 01 040 1	0.93	30	78	202	110	116	207	45	58	101	104	79
50	10	210 01 050 1	1.36	20	92	238	120	137	242	45	69	119	121	90
63	10	210 01 063 1	2.66	12	116	290	146	179	294	45	90	145	147	109
75	10	210 01 075 1												
90	10	210 01 090 1												
110	10	210 01 110 1												


**ПВХ Трехходовой шаровой кран с внутренней резьбой, Т-образный шар**  
*U-PVC Three Ways Female Threaded Ball Valve (T Port)*



d Диам	Давление PN	Артикул Code	Kr/шт Kg/Pcs	Шт/кор Box/Pcs	D (mm)	L (mm)	L1 (mm)	L2 (mm)	L4 (mm)	L5 (mm)	H (mm)	H1 (mm)
20	10	211 01 020 1	0.25	55	45	111	78	72	25	36	50	27
25	10	211 01 025 1	0.36	75	53	131	92	86	25	43	60	33
32	10	211 01 032 1	0.54	60	65	148	100	96	25	48	68	36
40	10	211 01 040 1	0.93	30	78	176	110	116	45	58	79	44
50	10	211 01 050 1	1.4	20	92	206	120	137	45	69	90	49
63	10	211 01 063 1	2.66	12	116	262	146	179	45	90	109	61
75	10	211 01 075 1										
90	10	211 01 090 1										
110	10	211 01 110 1										




**ПВХ Шаровой кран, муфтовое окончание под клеевое соединение, для кислот**  
*U-PVC Solvent Cement True Union Ball Valve for Acid*




d	Давление PN	Для кислоты		Для сильных кислот		Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	Z (mm)	L1 (mm)	L (mm)	H (mm)	H1 (mm)	kv l/min
		Артикул / Code EPDM&PTFE O-Ring	Артикул / Code PTFE&FPM O-Ring											
20	16	205 00 020 2	234 00 020 2	0.14	55	15	52	45	85	47	27	185		
25	16	205 00 025 2	234 00 025 2	0.19	75	20	58	49	95	51	31	350		
32	16	205 00 032 2	234 00 032 2	0.25	60	25	61	54	107	63	33	700		
40	16	205 00 040 2	234 00 040 2	0.43	30	32	73	66	128	67	41	1000		
50	16	205 00 050 2	234 00 050 2	0.66	24	40	82	75	154	86	46	1600		
63	16	205 00 063 2	234 00 063 2	1.11	12	50	95	89	172	101	58	3100		
75	16	205 00 075 2	234 00 075 2	1.48	10	65	118	111	196	110	73	5000		
90	16	205 00 090 2	234 00 090 2	3.55	4	80	139	126	241	137	89	7000		
110	16	205 00 110 2	234 00 110 2	5.48	2	100	165	153	289	150	105	11000		

**ПВХ Шаровой кран с внутренней резьбой, для кислот**  
*U-PVC One Side Female Threaded True Union Ball Valves for Acid*




d Диам	Rp (inch)	Для кислоты		Для сильных кислот		Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	kv l/min	Z (mm)	L1 (mm)	L (mm)	H (mm)	H1 (mm)	Давлен ие PN
		Артикул / Code EPDM&PTFE O-Ring	Артикул / Code PTFE & FPM O-Ring												
20	1/2"	206 00 020 2	235 00 020 2	0.14	55	15	185	52	45	85	47	27	16		
25	3/4"	206 00 025 2	235 00 025 2	0.19	75	20	350	58	49	95	51	31	16		
32	1"	206 00 032 2	235 00 032 2	0.24	60	25	700	61	54	107	63	33	16		
40	1 1/4"	206 00 040 2	235 00 040 2	0.42	30	32	1000	73	66	128	67	41	16		
50	1 1/2"	206 00 050 2	235 00 050 2	0.66	24	40	1600	82	75	154	86	46	16		
63	2"	206 00 063 2	235 00 063 2	1.19	12	50	3100	95	89	172	101	58	16		
75	2 1/2"	206 00 075 2	235 00 075 2	1.51	10	65	5000	118	111	196	110	73	16		
90	3"	206 00 090 2	235 00 090 2	3.57	4	80	7000	139	126	241	137	89	16		
110	4"	206 00 110 2	235 00 110 2	5.36	2	100	11000	165	153	289	150	105	16		

**ПВХ Шаровой кран с фланцевым окончанием, для кислот**  
*U-PVC Flanged connection Ball Valves for Acid*



d Диам	Давление PN	Для кислоты		Для сильных кислот		Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	Z (mm)	L1 (mm)	L (mm)	H (mm)	H1 (mm)	D1 (mm)	D2 (mm)	n (mmx)
		Артикул / Code EPDM&PTFE O-Ring	Артикул / Code PTFE&FPM O-Ring													
20	16	209 00 020 2	237 00 020 2	0.35	55	15	52	45	123	47	27	65	95	14 x 4		
25	16	209 00 025 2	237 00 025 2	0.52	75	20	58	49	140	51	31	75	105	14 x 4		
32	16	209 00 032 2	237 00 032 2	0.60	60	25	61	54	158	63	33	85	115	14 x 4		
40	16	209 00 040 2	237 00 040 2	1.02	30	32	73	66	186	67	42	100	140	18 x 4		
50	16	209 00 050 2	237 00 050 2	1.25	24	40	82	75	231	86	46	110	150	18 x 4		
63	16	209 00 063 2	237 00 063 2	1.99	12	50	95	89	253	101	58	125	165	18 x 4		
75	16	209 00 075 2	237 00 075 2	2.65	10	65	118	111	291	110	73	145	185	18 x 4		
90	16	209 00 090 2	237 00 090 2	5.13	4	80	139	126	353	137	90	160	200	18 x 8		
110	16	209 00 110 2	237 00 110 2	7.05	2	100	165	153	431	150	106	180	220	18 x 8		




**ПВХ Трёхходовой шаровой кран, Т-образный шар, для кислот**  
*U-PVC Three Ways Ball Valve (T Port)*

d Диам	Давление PN	Артикул Code	Кг/шт Kg/Pcs	Шт/кор Box/Pcs	D (mm)	L (mm)	L1 (mm)	L2 (mm)	L3 (mm)	L4 (mm)	L5 (mm)	L6 (mm)	L7 (mm)	H (mm)
25	10	210 00 025 4	0.36	75	53	156	92	86	161	25	43	78	81	60
32	10	210 00 032 4	0.54	60	65	172	100	96	177	25	48	86	89	68
40	10	210 00 040 4	0.93	30	78	202	110	116	207	45	58	101	104	79
50	10	210 00 050 4	1.36	20	92	238	120	137	242	45	69	119	121	90
63	10	210 00 063 4	2.66	12	116	290	146	179	294	45	90	145	147	109



## U-PVC Межфланцевый обратный клапан

### U-PVC Wafer Checkvalve





d Диам	Давлен ие PN	Для воды		Для кислоты		Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	D (mm)	D1 (mm)	D2 (mm)	L1 (mm)
		EPDM Артикул EPDM O-Ring Code	FPM Артикул FPM O-Ring Code									
63	10	221 01 063 9	221 02 063 9	0.19	30	50	90	75	32	40		
75	10	221 01 075 9	221 02 075 9	0.26	30	65	110	95	40	55		
90	10	221 01 090 9	221 02 090 9	0.34	10	80	125	115	54	67		
110	10	221 01 110 9	221 02 110 9	0.48	10	100	184	135	70	67		
125	10	221 01 125 9	221 02 125 9	0.55	10	100	213	160	92	94		
140	10	221 01 140 9	221 02 140 9	0.64	15	125	213	160	92	94		
160	10	221 01 160 9	221 02 160 9	0.95	15	150	251	175	105	100		
200	10	221 01 200 9	221 02 200 9	1.32	10	200	280	235	155	152		
225	10	221 01 225 9	221 02 225 9	1.57	10	200	280	235	155	152		
250	10	221 01 250 9	221 02 250 9	2.57	5	250	330	285	330	180		
280	10	221 01 280 9	221 02 280 9	2.58	1	250	330	285	330	180		
315	10	221 01 315 9	221 02 315 9	3.87	1	300	380	325	380	215		



## U-PVC Межфланцевый обратный клапан в комплекте с фланцами



### U-PVC Wafer Checkvalve with Flange



d Диам	Давлен ие PN	Для воды		Для кислоты		Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	D (mm)	D1 (mm)	L (mm)
		EPDM Артикул EPDM O-Ring Code	FPM Артикул FPM O-Ring Code								
63	10	221 00 063 2	221 02 063 9	1.83	4	50	165	77	90		
75	10	221 00 075 2	221 02 075 9	2.31	4	65	185	90	110		
90	10	221 00 090 2	221 02 090 9	3.75	4	80	200	107	126		
110	10	221 00 110 2	221 02 110 9	4.35	4	100	220	129	155		
125	10	221 00 125 2	221 02 125 9	5.35	2	100	250	147	173		
140	10	221 00 140 2	221 02 140 9	5.87	2	125	250	164	182		
160	10	221 00 160 2	221 02 160 9	7.03	1	150	285	188	209		
200	10	221 00 200 2	221 02 200 9	10.00	1	200	340	230	253		
225	10	221 00 225 2	221 02 225 9	10.50	1	200	340	245	285		
250	10	221 00 250 2	221 02 250 9	10.60	1	250	395	269	375		
280	10	221 00 280 2	221 02 280 9	15.50	1	250	395	304	375		
315	10	221 00 315 2	221 02 315 9	19.80	1	300	445	341	415		
400	10	221 00 400 2	221 00 400 2		1	400	565	450	482		



## U-PVC Межфланцевый обратный клапан с метизами из нерж. стали (304)




d Диам	Давлен ие PN	Для воды		Для кислоты		Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	D (mm)	D1 (mm)	L (mm)
		EPDM Артикул EPDM O-Ring Code	FPM Артикул FPM O-Ring Code								
63	10	221 04 063 2	221 05 063 9	3.10	8	50	165	77	90		
75	10	221 04 075 2	221 05 075 9	3.40	4	65	185	90	110		
90	10	221 04 090 2	221 05 090 9	3.71	4	80	200	107	126		
110	10	221 04 110 2	221 05 110 9	4.56	4	100	220	129	155		
125	10	221 04 125 2	221 05 125 9	5.55	2	100	250	147	173		
140	10	221 04 140 2	221 05 140 9	5.77	2	125	250	164	182		
160	10	221 04 160 2	221 05 160 9	7.47	2	150	285	188	209		
200	10	221 04 200 2	221 05 200 9	10.00	1	200	340	230	253		
225	10	221 04 225 2	221 05 225 9	10.10	1	200	340	245	285		
250	10	221 04 250 2	221 05 250 9	20.60	1	250	395	269	375		
280	10	221 04 280 2	221 05 280 9	20.50	1	250	395	304	375		
315	10	221 04 315 2	221 05 315 9	25.10	1	300	445	341	415		
400	10	221 04 400 2	221 05 400 2		1	400	565	450	482		



## U-PVC Межфланцевый обратный клапан с метизами из нерж. стали (316)


### U-PVC Wafer Checkvalve With Flange (316 S.S. Screw, Nut, Washer)



d Диам	Давлен ие PN	Для воды		Для кислоты		Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	D (mm)	D1 (mm)	L (mm)
		EPDM Артикул EPDM O-Ring Code	FPM Артикул FPM O-Ring Code								
63	10	221 06 063 2	221 07 063 9	3.10	8	50	165	77	90		
75	10	221 06 075 2	221 07 075 9	3.40	4	65	185	90	110		
90	10	221 06 090 2	221 07 090 9	3.71	4	80	200	107	126		
110	10	221 06 110 2	221 07 110 9	4.56	4	100	220	129	155		
125	10	221 06 125 2	221 07 125 9	5.55	2	100	250	147	173		
140	10	221 06 140 2	221 07 140 9	5.77	2	125	250	164	182		
160	10	221 06 160 2	221 07 160 9	7.47	2	150	285	188	209		
200	10	221 06 200 2	221 07 200 9	10.00	1	200	340	230	253		
225	10	221 06 225 2	221 07 225 9	10.10	1	200	340	245	285		
250	10	221 06 250 2	221 07 250 9	20.60	1	250	395	269	375		
280	10	221 06 280 2	221 07 280 9	20.50	1	250	395	304	375		
315	10	221 06 315 2	221 07 315 9	25.10	1	300	445	341	415		
400	10	221 06 400 2	221 07 400 2		1	400	565	450	482		

## U-PVC Пружинный обратный клапан с гладкими муфтовыми окончаниями под клеевое соединение, EPDM


### U-PVC Solvent Cement Spring Checkvalve



d Диам	Давлен ие PN	EPDM Артикул EPDM O-Ring Code	Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	H (mm)	L (mm)	L1 (mm)	Z (mm)
16	16	214 00 016 2	0.10	70	12	54	80	42	50
20	16	214 00 020 2	0.11	70	16	54	85	45	52
25	16	214 00 025 2	0.14	85	20	62	95	49	58
32	16	214 00 032 2	0.20	72	25	66	107	54	61
40	16	214 00 040 2	0.37	32	32	84	128	66	73
50	16	214 00 050 2	0.53	24	40	92	154	75	82
63	16	214 00 063 2	0.95	13	50	116	172	89	95
75	16	214 00 075 2	1.21	10	65	146	196	111	118
90	16	214 00 090 2	3.15	4	80	178	241	126	139
110	16	214 00 110 2	4.59	2	100	210	289	153	165

## U-PVC Пружинный обратный клапан с резьбовыми окончаниями, EPDM

### U-PVC Both Sides Female Threaded Spring Checkvalve



Rp Inch	Давлен ие PN	EPDM Артикул EPDM O-Ring Code	Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	H (mm)	L (mm)	L1 (mm)	Z (mm)
3/8"	16	216 00 016 2	0.10	70	12	54	80	42	50
1/2"	16	216 00 020 2	0.11	70	16	54	85	45	52
3/4"	16	216 00 025 2	0.14	85	20	62	95	49	58
1"	16	216 00 032 2	0.20	72	25	66	107	54	61
1 1/4"	16	216 00 040 2	0.37	32	32	84	128	66	73
1 1/2"	16	216 00 050 2	0.53	24	40	92	154	75	82
2"	16	216 00 063 2	0.95	13	50	116	172	89	95
2 1/2"	16	216 00 075 2	1.21	10	65	146	196	111	118
3"	16	216 00 090 2	3.15	4	80	178	241	126	139
4"	16	216 00 110 2	4.59	2	100	210	289	153	165

## U-PVC Шаровой обратный клапан муфтовые окончания под клеевое соединение

### U-PVC Solvent Cement Ball Checkvalve



d Диам	Давлен ие PN	EPDM Артикул EPDM O-Ring Code	Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	H (mm)	L (mm)	L1 (mm)	Z (mm)
16	16	217 00 016 2	0.10	70	12	54	80	42	50
20	16	217 00 020 2	0.10	70	16	54	85	45	52
25	16	217 00 025 2	0.10	85	20	62	95	49	58
32	16	217 00 032 2	0.15	72	25	66	107	54	61
40	16	217 00 040 2	0.54	32	32	84	128	66	73
50	16	217 00 050 2	0.54	24	40	92	154	75	82
63	16	217 00 063 2	0.54	13	50	116	172	89	95

## U-PVC Шаровой обратный клапан с резьбовыми окончаниями

### U-PVC Both Sides Female Threaded Ball Checkvalve



Rp Inch	Давлен ие PN	EPDM Артикул EPDM O-Ring Code	Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	H (mm)	L (mm)	L1 (mm)	Z (mm)
3/8"	16	217 02 016 2	0.12	70	12	54	80	42	50
1/2"	16	217 02 020 2	0.10	70	16	54	85	45	52
3/4"	16	217 02 025 2	0.15	85	20	62	95	49	58
1"	16	217 02 032 2	0.19	72	25	66	107	54	61
1 1/4"	16	217 02 040 2	0.35	32	32	84	128	66	73
1 1/2"	16	217 02 050 2	0.54	24	40	92	154	75	82
2"	16	217 02 063 2	0.91	13	50	116	172	89	95

## U-PVC Шаровой обратный клапан с клеевой муфтой и разборным муфтовым соединением

### U-PVC Single Union Spring Checkvalve



d Диам	Давлен ие PN	EPDM Артикул EPDM O-Ring Code	Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	H (mm)	L (mm)	L1 (mm)	Z (mm)
20	16	214 10 020 2	0.09	60	16	47	47	45	55
25	16	214 10 025 2	0.16	75	20	52	52	49	59
32	16	214 10 032 2	0.20	60	25	63	63	54	69
40	16	214 10 040 2	0.45	32	32	66	66	66	72
50	16	214 10 050 2	0.54	20	40	89	89	75	91
63	16	214 10 063 2	0.95	13	50	100	100	89	103
75	16	214 10 075 2		9	65	146	128	111	111
90	16	214 10 090 2		4	80	178	227	125	141
110	16	214 10 110 2		2	100	210	275	155	171

## U-PVC Одномуфтовый пружинный обратный клапан

### U-PVC One Side Female Threaded Single Union Spring Checkvalve



d Диам	Rp Inch	EPDM Артикул EPDM O-Ring Code	Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	H (mm)	L (mm)	L1 (mm)	Z (mm)	Давлен ие PN
20	1/2"	215 10 020 2	0.09	60	16	47	47	45	55	16
25	3/4"	215 10 025 2	0.16	75	20	52	52	49	59	16
32	1"	215 10 032 2	0.20	60	25	63	63	54	69	16
40	1 1/4"	215 10 040 2	0.45	32	32	66	66	66	72	16
50	1 1/2"	215 10 050 2	0.54	20	40	89	89	75	91	16
63	2"	215 10 063 2	0.95	13	50	100	100	89	103	16
75	2 1/2"	215 10 075 2		9	65	146	128	111	111	16
90	3"	215 10 090 2		4	80	178	227	125	141	16
110	4"	215 10 110 2		2	100	210	275	155	171	16

## U-PVC Одномуфтовый пружинный обратный клапан с внутренней резьбой

### U-PVC Both Sides Female Threaded Single Union Spring Checkvalve



Rp Inch	Давлен ие PN	EPDM Артикул EPDM O-Ring Code	Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	H (mm)	L (mm)	L1 (mm)	Z (mm)
1/2"	16	216 10 020 2	0.09	60	16	47	78	45	55
3/4"	16	216 10 025 2	0.16	75	20	52	87	49	59
1"	16	216 10 032 2	0.20	60	25	63	100	54	69
1 1/4"	16	216 10 040 2	0.45	32	32	66	114	66	72
1 1/2"	16	216 10 050 2	0.54	20	40	89	140	75	91
2"	16	216 10 063 2	0.95	13	50	100	163	89	103
2 1/2"	16	216 10 075 2		9	65	146	196	111	111
3"	16	216 10 090 2		4	80	178	227	125	141
4"	16	216 10 110 2		2	100	210	275	155	171

## ПВХ Одномуфтовый пружинный обратный клапан с наружной резьбой


### U-PVC One Side Male Threaded Single Union Spring Checkvalve



d Диам	Rp Inch	EPDM Артикул EPDM O-Ring Code	Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	H (mm)	L (mm)	L1 (mm)	Z (mm)	Давлен ие PN
20	1/2"	215 20 020 2	0.09	60	16	47	78	45	55	16
25	3/4"	215 20 025 2	0.16	75	20	52	87	49	59	16
32	1"	215 20 032 2	0.20	60	25	63	100	54	69	16
40	1 1/4"	215 20 040 2	0.45	32	32	66	114	66	72	16
50	1 1/2"	215 20 050 2	0.54	20	40	89	140	75	91	16
63	2"	215 20 063 2	0.95	13	50	100	163	89	103	16
75	2 1/2"	215 20 075 2		9	65	146	196	111	111	16
90	3"	215 20 090 2		4	80	178	227	125	141	16
110	4"	215 20 110 2		2	100	210	275	155	171	16

## ПВХ Угловой обратный клапан с втулочными окончаниями

### U-PVC Angle Seat Valve



d Диам	Давлен ие PN	EPDM Артикул EPDM O-Ring Code	Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	D (mm)	L (mm)	L1 (mm)	L2 (mm)	H (mm)
20	16	216 20 020 2	0.13	1	15	43	124	130	28	65
25	16	216 20 025 2	0.20	1	20	47	144	150	37	75
32	16	216 20 032 2	0.32	1	25	56	154	160	37	90
40	16	216 20 040 2	0.49	1	32	64	174	180	44	102
50	16	216 20 050 2	0.86	1	40	82	194	200	48	123
63	16	216 20 063 2	1.45	1	50	95	224	230	60	144
75	16	216 20 075 2	2.49	1	65	92	284	290	74	186
90	16	216 20 090 2	3.51	1	80	104	300	310	85	204

## ПВХ Т-образный обратный клапан

### U-PVC T Checkvalve



d Диам	Давлен ие PN	Для воды		Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	L (mm)	L1 (mm)
		FPM Артикул FPM O-Ring Code	FPM Артикул FPM O-Ring Code					
50	10	218 00 050 2	218 01 050 2	0.30	40	40	124	96
63	10	218 00 063 2	218 01 063 2	0.46	22	50	144	112
75	10	218 00 075 2	218 01 075 2		10	65	168	140
90	10	218 00 090 2	218 01 090 2		10	80	195	161

## ПВХ Т-образный обратный клапан с резьбовым окончанием с одной стороны U-PVC One Side Female Threaded T Check Valve



d Диам	DN (mm)	Для воды		Для кислоты		Кг/шт Kg/Pcs	Шт/кор Box/Pcs	L (mm)	L1 (mm)	Давле ние PN
		FPM Артикул FPM O-Ring Code	FPM Артикул FPM O-Ring Code	FPM Артикул FPM O-Ring Code	FPM Артикул FPM O-Ring Code					
50	1 1/2"	219 00 050 2	219 01 050 2	219 00 063 2	219 01 063 2	0.32	40	124	96	10
63	2"	219 00 063 2	219 01 063 2	219 00 075 2	219 01 075 2	0.49	22	144	112	10
75	2 1/2"	219 00 075 2	219 01 075 2					168	140	10
90	3"	219 00 090 2	219 01 090 2					195	161	10

## ПВХ Т-образный обратный клапан с резьбовыми окончаниями U-PVC Both Side Female Threaded T Check Valve



Rp Inch	Давлен ие PN	Для воды		Для кислоты		Кг/шт Kg/Pcs	Шт/кор Box/Pcs	L (mm)	L1 (mm)
		FPM Артикул FPM O-Ring Code	FPM Артикул FPM O-Ring Code	FPM Артикул FPM O-Ring Code	FPM Артикул FPM O-Ring Code				
1 1/2"	10	219 10 050 2	219 11 050 2	219 10 063 2	219 11 063 2	0.30	40	124	96
2"	10	219 10 063 2	219 11 063 2	219 10 075 2	219 11 075 2	0.46	22	144	112
2 1/2"	10	219 10 075 2	219 11 075 2					168	140
3"	10	219 10 090 2	219 11 090 2					195	161

## ПВХ Донный клапан U-PVC Single Union Foot Checkvalve



d Диам	Давлен ие PN	EPDM Артикул EPDM O-Ring Code	Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	H (mm)	L (mm)	L1 (mm)	Z (mm)
20	16	214 30 020 2	3.17	60	16	47	108	45	55
25	16	214 30 025 2	3.17	75	20	52	115	49	59
32	16	214 30 032 2	3.17	60	25	63	140	54	69
40	16	214 30 040 2	3.17	32	32	66	160	66	72
50	16	214 30 050 2	3.17	24	40	89	180	75	91
63	16	214 30 063 2	3.17	13	50	100	220	89	103
75	16	214 30 075 2	3.17	9	65	146	270	111	111
90	16	214 30 090 2	3.17	4	80	178	335	125	141
110	16	214 30 110 2	3.17	2	100	210	345	155	171

## ПВХ Донный клапан с резьбовым окончанием U-PVC Single Union Female Threaded Foot Checkvalve



Rp Inch	Давлен ие PN	EPDM Артикул EPDM O-Ring Code	Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	H (mm)	L (mm)	L1 (mm)	Z (mm)
1/2"	16	215 30 020 2	3.17	60	16	47	108	45	55
3/4"	16	215 30 025 2	3.17	75	20	52	115	49	59
1"	16	215 300 32 2	3.17	60	25	63	140	54	69
1 1/4"	16	215 300 40 2	3.17	32	32	66	160	66	72
1 1/2"	16	215 300 50 2	3.17	24	40	89	180	75	91
2"	16	215 300 63 2	3.17	13	50	100	220	89	103
2 1/2"	16	215 300 75 2	3.17	9	65	146	270	111	111
3"	16	215 300 90 2	3.17	4	80	178	335	125	141
4"	16	215 30 110 2	3.17	2	100	210	345	155	171

## ПВХ Пружинный донный клапан окончания под клеевое соединение U-PVC Foot Spring Checkvalve



d Диам	Давлен ие PN	EPDM Артикул EPDM O-Ring Code	Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	H (mm)	L (mm)	L1 (mm)	Z (mm)
20	16	<b>217 03 020 2</b>	0.10	60	16	54	108	48	55
25	16	<b>217 03 025 2</b>	0.10	75	20	62	115	52	60
32	16	<b>217 03 032 2</b>	0.10	60	25	66	140	56	64
40	16	<b>217 03 040 2</b>	0.10	32	32	84	160	70	77
50	16	<b>217 03 050 2</b>	0.10	24	40	92	180	77	84
63	16	<b>217 03 063 2</b>	0.10	13	50	116	220	90	98
75	16	<b>217 03 075 2</b>	0.10	9	65	146	270	102	111
90	16	<b>217 03 090 2</b>	0.10	4	80	178	335	128	141
110	16	<b>217 03 110 2</b>	0.10	2	100	210	345	159	171

## ПВХ Пружинный донный клапан окончания с внутренней резьбой U-PVC Female Threaded Spring Foot Checkvalve



Rp Inch	Давлен ие PN	EPDM Артикул EPDM O-Ring Code	Кг/шт Kg/Pcs	Шт/кор Box/Pcs	DN (mm)	H (mm)	L (mm)	L1 (mm)	Z (mm)
1/2"	16	<b>217 04 020 2</b>	0.10	60	16	54	108	48	55
3/4"	16	<b>217 04 025 2</b>	0.10	75	20	62	115	52	60
1"	16	<b>217 04 032 2</b>	0.10	60	25	66	140	56	64
1 1/4"	16	<b>217 04 040 2</b>	0.10	32	32	84	160	70	77
1 1/2"	16	<b>217 04 050 2</b>	0.10	24	40	92	180	77	84
2"	16	<b>217 04 063 2</b>	0.10	13	50	116	220	90	98
2 1/2"	16	<b>217 04 075 2</b>	0.10	9	65	146	270	102	111
3"	16	<b>217 04 090 2</b>	0.10	4	80	178	335	128	141
4"	16	<b>217 04 110 2</b>	0.10	2	100	210	345	159	171




## ПВХ Дисковый затвор с ручным приводом U-PVC Butterfly Valve (Without Flange)



d Диам	DN	D1 (mm)	D2 min. (mm)	D2 max. (mm)	D3 (mm)	D4 (mm)	L (mm)	H (mm)	H1 (mm)	H2 (mm)	W1 (mm)	н $\phi$ e	kv l/min.	ISO 5211
63	50	104	120	125	115	19	207	256	82	126	45	4 x 19	1470	F 07
75	65	115	140	145	115	19	207	265	86	129	46	4 x 19	2200	F 07
90	80	131	150	160	115	19	207	272	89	132	48	8 x 19	3000	F 07
110	100	160	175	190	115	19	207	311	103	156	56	8 x 19	6500	F 07
125	110	190	210	216	115	23	258	338	116	169	63	8 x 23	11500	F 07
140	125	190	210	216	115	23	258	338	116	169	63	8 x 23	11500	F 07
160	150	214	241	241	115	24	258	364	129	182	66	8 x 24	16600	F 07
200	175	268	290	295	115	24	335	414	158	203	75	8 x 24	39600	F 07
225	200	268	290	295	115	24	335	414	158	203	75	8 x 24	39600	F 07
250	250	333	353	362	156	24	410	507	198	242	114	8 x 24	55200	F 10
280	250	333	353	362	156	24	410	507	198	242	114	12 x 24	55200	F 10
315	300	379	400	432	156	24	410	580	228	285	113	12 x 24	80000	F 10
*355	350	535	445	477	156	26	410	620	268	305	140	16 x 24	90000	F 12
*400	400	595	510	540	156	26	410	686	285	335	168	16 x 26	115000	F 12

\* Поставляется с редуктором / Reduction Gear Butterfly Valve



Для воды


Для кислоты

d Диам	EPDM Артикул EPDM O-Ring Code	FPM Артикул FPM O-Ring Code	Кг/шт Kg/Pcs	Шт/ко р Вох/Р cs	Давлен ие PN
63	201 00 063 4	201 01 063 4	1.18	1	10
75	201 00 075 4	201 01 075 4	1.26	1	10
90	201 00 090 4	201 01 090 4	1.42	1	10
110	201 00 110 4	201 01 110 4	2.23	1	10
125	201 00 125 4	201 01 125 4	2.77	1	10
140	201 00 140 4	201 01 140 4	2.77	1	10
160	201 00 160 4	201 01 160 4	3.22	1	10
200	201 00 200 4	201 01 200 4	5.12	1	10
225	201 00 225 4	201 01 225 4	5.12	1	10
250	201 00 250 4	201 01 250 4	9.14	1	10
280	201 00 280 4	201 01 280 4	9.14	1	10
315	201 00 315 4	201 01 315 4	24.3	1	10
*355	201 11 355 4	201 01 355 4	?	1	6
*400	201 11 400 4	201 01 400 4	?	1	6

## ПВХ Дисковый затвор с в комплекте с буртами и фланцами и метизами U-PVC Butterfly Valve Set



d Диам	DN	D (mm)	Z (mm)	Z1 (mm)	Z2 (mm)	B (mm)	L (mm)	Q1 (mm)	Q2 (mm)	н $\phi$ e	ISO 5211	kv l/min.	Давление PN	Кг/шт Kg/Pcs	Шт/кор Vох/Pcs
63	50	165	51	82	188	38	207	37		4 x 19	F 07	1470	10	3.00	1
75	65	185	52	92	180	43	207	50	40	4 x 19	F 07	2200	10	5.00	1
90	80	200	58	100	183	51	207	65	46	8 x 19	F 07	3000	10	6.60	1
110	100	220	66	110	208	60	258	85	68	8 x 19	F 07	6500	10	6.60	1
125	110	250	73	125	221	69	258	111	92	8 x 23	F 07	11500	10	9.50	1
140	125	250	73	125	221	75	258	111	92	8 x 23	F 07	11500	10	9.90	1
160	150	285	76	142	235	86	258	138	122	8 x 24	F 07	16600	10	11.4	1
200	175	340	87	170	255	106	335	192	179	8 x 24	F 07	39600	10	17.1	1
225	200	340	87	170	255	120	335	192	179	8 x 24	F 07	39600	10	36.7	1
250	250	395	123	198	309	131	410	223	209	8 x 24	F 10	55200	10	36.7	1
280	250	395	119	198	309	146	410	223	209	12 x 24	F 10	55200	10	39.2	1
315	300	445	121	228	370	164	410	256	253	12 x 24	F 10	80000	10	44.5	1
*355	350	505	140	255	372	185	410	325	305	16 x 24	F 12	90000	6		1
*400	400	565	169	285	402	206	410	353	350	16 x 26	F 12	115000	6		1



d Диам	Для воды		Для кислоты		Кг/шт Kg/Pcs	Шт/ко р Вхл/р	Давлен ие PN
	EPDM Артикул EPDM O-Ring Code	FPM Артикул FPM O-Ring Code	FPM Артикул FPM O-Ring Code	FPM Артикул FPM O-Ring Code			
63	200 00 063 4	200 01 063 4	200 01 063 4	200 01 063 4	3.00	1	10
75	200 00 075 4	200 01 075 4	200 01 075 4	200 01 075 4	5.00	1	10
90	200 00 090 4	200 01 090 4	200 01 090 4	200 01 090 4	6.60	1	10
110	200 00 110 4	200 01 110 4	200 01 110 4	200 01 110 4	6.60	1	10
125	200 00 125 4	200 01 125 4	200 01 125 4	200 01 125 4	9.50	1	10
140	200 00 140 4	200 01 140 4	200 01 140 4	200 01 140 4	9.90	1	10
160	200 00 160 4	200 01 160 4	200 01 160 4	200 01 160 4	11.40	1	10
200	200 00 200 4	200 01 200 4	200 01 200 4	200 01 200 4	17.10	1	10
225	200 00 225 4	200 01 225 4	200 01 225 4	200 01 225 4	36.70	1	10
250	200 00 250 4	200 01 250 4	200 01 250 4	200 01 250 4	36.70	1	10
280	200 00 280 4	200 01 280 4	200 01 280 4	200 01 280 4	39.20	1	10
315	200 00 315 4	200 01 315 4	200 01 315 4	200 01 315 4	44.5	1	10
*355	200 03 355 4	200 01 355 4	200 01 355 4	200 01 355 4	?	1	6
*400	200 03 400 4	200 01 400 4	200 01 400 4	200 01 400 4	?	1	6

### Метизы из нерж.стали 304

d Диам	Для воды		Для кислоты	
	EPDM Артикул EPDM O-Ring Code	FPM Артикул FPM O-Ring Code	FPM Артикул FPM O-Ring Code	FPM Артикул FPM O-Ring Code
63	200 02 063 4	200 03 063 4	200 03 063 4	200 03 063 4
75	200 02 075 4	200 03 075 4	200 03 075 4	200 03 075 4
90	200 02 090 4	200 03 090 4	200 03 090 4	200 03 090 4
110	200 02 110 4	200 03 110 4	200 03 110 4	200 03 110 4
125	200 02 125 4	200 03 125 4	200 03 125 4	200 03 125 4
140	200 02 140 4	200 03 140 4	200 03 140 4	200 03 140 4
160	200 02 160 4	200 03 160 4	200 03 160 4	200 03 160 4
200	200 02 200 4	200 03 200 4	200 03 200 4	200 03 200 4
225	200 02 225 4	200 03 225 4	200 03 225 4	200 03 225 4
250	200 02 250 4	200 03 250 4	200 03 250 4	200 03 250 4
280	200 02 280 4	200 03 280 4	200 03 280 4	200 03 280 4
315	200 02 315 4	200 03 315 4	200 03 315 4	200 03 315 4
*355	200 05 355 4	200 03 355 4	200 03 355 4	200 03 355 4
*400	200 05 400 4	200 03 400 4	200 03 400 4	200 03 400 4

### Метизы из нерж.стали 316

d Диам	Для воды		Для кислоты	
	EPDM Артикул EPDM O-Ring	FPM Артикул FPM O-Ring Code	FPM Артикул FPM O-Ring Code	FPM Артикул FPM O-Ring Code
63	200 04 063 4	200 05 063 4	200 05 063 4	200 05 063 4
75	200 04 075 4	200 05 075 4	200 05 075 4	200 05 075 4
90	200 04 090 4	200 05 090 4	200 05 090 4	200 05 090 4
110	200 04 110 4	200 05 110 4	200 05 110 4	200 05 110 4
125	200 04 125 4	200 05 125 4	200 05 125 4	200 05 125 4
140	200 04 140 4	200 05 140 4	200 05 140 4	200 05 140 4
160	200 04 160 4	200 05 160 4	200 05 160 4	200 05 160 4
200	200 04 200 4	200 05 200 4	200 05 200 4	200 05 200 4
225	200 04 225 4	200 05 225 4	200 05 225 4	200 05 225 4
250	200 04 250 4	200 05 250 4	200 05 250 4	200 05 250 4
280	200 04 280 4	200 05 280 4	200 05 280 4	200 05 280 4
315	200 04 315 4	200 05 315 4	200 05 315 4	200 05 315 4
*355	201 07 355 4	200 05 355 4	200 05 355 4	200 05 355 4
*400	201 07 400 4	200 05 400 4	200 05 400 4	200 05 400 4

### ПВХ Дисковый затвор с редуктором


#### U-PVC Reduction Gear Butterfly Valve With Handwheel (Without Flange)




d Диам	DN	D1 (mm)	D2 min. (mm)	D2 max. (mm)	D3 (mm)	D4 (mm)	L (mm)	H (mm)	H1 (mm)	H2 (mm)	W1 (mm)	n $\phi$ e	kv l/min.	ISO 5211
63	50	104	120	125	115	19	192	279	82	126	45	4 x 19	1470	F 07
75	65	115	140	145	115	19	192	288	86	129	46	4 x 19	2200	F 07
90	80	131	150	160	115	19	192	290	89	132	48	8 x 19	3000	F 07
110	100	160	175	190	115	19	192	337	103	156	56	8 x 19	6500	F 07
125	110	190	210	216	115	23	192	353	116	169	63	8 x 23	11500	F 07
140	125	190	210	216	115	23	192	353	116	169	63	8 x 23	11500	F 07
160	150	214	241	241	115	24	192	375	129	182	66	8 x 24	16600	F 07
200	175	268	290	295	115	24	192	429	158	203	75	8 x 24	39600	F 07
225	200	268	290	295	115	24	192	429	158	203	75	8 x 24	39600	F 07
250	250	333	353	362	156	24	250	485	198	242	114	8 x 24	55200	F 10
280	250	333	353	362	156	24	250	485	198	242	114	12 x 24	55200	F 10
315	300	379	400	432	156	24	250	581	228	285	113	12 x 24	80000	F 10
355	350	535	445	477	156	26	250	581	268	305	140	16 x 24	90000	F 12
400	400	595	510	540	156	26	250	581	285	335	168	16 x 26	115000	F 12

d Диам	Для воды		Для кислоты		Кг/шт Kg/Pcs	Шт/ко р	PN
	EPDM Артикул EPDM O-Ring Code	FPM Артикул FPM O-Ring Code	FPM Артикул FPM O-Ring Code	FPM Артикул FPM O-Ring Code			
63	201 11 063 4	201 02 063 4	201 02 063 4	201 02 063 4	1.12	1	10
75	201 11 075 4	201 02 075 4	201 02 075 4	201 02 075 4	4.65	1	10
90	201 11 090 4	201 02 090 4	201 02 090 4	201 02 090 4		1	10
110	201 11 110 4	201 02 110 4	201 02 110 4	201 02 110 4	5.57	1	10
125	201 11 125 4	201 02 125 4	201 02 125 4	201 02 125 4	7.53	1	10
140	201 11 140 4	201 02 140 4	201 02 140 4	201 02 140 4		1	10
160	201 11 160 4	201 02 160 4	201 02 160 4	201 02 160 4	8.14	1	10
200	201 11 200 4	201 02 200 4	201 02 200 4	201 02 200 4	10.90	1	10
225	201 11 225 4	201 02 225 4	201 02 225 4	201 02 225 4	10.90	1	10
250	201 11 250 4	201 02 250 4	201 02 250 4	201 02 250 4		1	10
280	201 11 280 4	201 02 280 4	201 02 280 4	201 02 280 4		1	10
315	201 11 315 4	201 02 315 4	201 02 315 4	201 02 315 4		1	10
*355	201 11 355 4	201 02 355 4	201 02 355 4	201 02 355 4	33	1	6
*400	201 11 400 4	201 02 400 4	201 02 400 4	201 02 400 4		1	6

**ПВХ Дисковый затвор с редуктором в комплекте с буртами, фланцами и метизами**  
**U-PVC Reduction Gear Butterfly Valve with Handwheel and Flange**



d	DN	D	Z	Z1	Z2	B	L	Q1	Q2	nφe	ISO 5211	kv
Диам		(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)			l/min.
63	50	165	51	82	196	38	192	37		4 x 19	F 07	1470
75	65	185	52	92	191	43	192	50	40	4 x 19	F 07	2200
90	80	200	58	100	190	51	192	65	46	8 x 19	F 07	3000
110	100	220	66	110	227	60	192	85	68	8 x 19	F 07	6500
125	110	250	73	125	228	69	192	111	92	8 x 23	F 07	11500
140	125	250	73	125	228	75	192	111	92	8 x 23	F 07	11500
160	150	285	76	142	232	86	192	138	122	8 x 24	F 07	16600
200	175	340	87	170	259	106	192	192	179	8 x 24	F 07	39600
225	200	340	87	170	259	120	192	192	179	8 x 24	F 07	39600
250	250	395	123	198	287	131	250	223	209	8 x 24	F 10	55200
280	250	395	119	198	287	146	250	223	209	12 x 24	F 10	55200
315	300	445	121	228	353	164	250	256	253	12 x 24	F 10	80000
355	350	505	140	255	372	185	300	325	305	16 x 24	F 12	90000
400	400	565	169	285	402	206	300	353	350	16 x 26	F 12	115000



d	Для воды		Для кислоты		Кг/шт	Шт/коп
	EPDM Артикул	FPM Артикул	FPM Артикул	Кг/Пcs		
Диам	EPDM O-Ring Code	FPM O-Ring Code	FPM O-Ring Code			Вох/Рcs
63	201 03 063 4	201 04 063 4			3.00	1
75	201 03 075 4	201 04 075 4			3.60	1
90	201 03 090 4	201 04 090 4			5.45	1
110	201 03 110 4	201 04 110 4			6.60	1
125	201 03 125 4	201 04 125 4			9.50	1
140	201 03 140 4	201 04 140 4			9.90	1
160	201 03 160 4	201 04 160 4			11.40	1
200	201 03 200 4	201 04 200 4			17.10	1
225	201 03 225 4	201 04 225 4			17.10	1
250	201 03 250 4	201 04 250 4			36.70	1
280	201 03 280 4	201 04 280 4				1
315	201 03 315 4	201 04 315 4			44.5	1
*355	201 03 355 4	201 04 355 4				1
*400	201 03 400 4	201 04 400 4				1

**Метизы из нерж. Стали 304**

d	Для воды		Для кислоты	
	EPDM Артикул	FPM Артикул	FPM Артикул	
Диам	EPDM O-Ring Code	FPM O-Ring Code	FPM O-Ring Code	
63	201 05 063 4	201 06 063 4		
75	201 05 075 4	201 06 075 4		
90	201 05 090 4	201 06 090 4		
110	201 05 110 4	201 06 110 4		
125	201 05 125 4	201 06 125 4		
140	201 05 140 4	201 06 140 4		
160	201 05 160 4	201 06 160 4		
200	201 05 200 4	201 06 200 4		
225	201 05 225 4	201 06 225 4		
250	201 05 250 4	201 06 250 4		
280	201 05 280 4	201 06 280 4		
315	201 05 315 4	201 06 315 4		
*355	201 05 355 4	201 06 355 4		
*400	201 05 400 4	201 06 400 4		

**Метизы из нерж.стали 316**

d	Для воды		Для кислоты	
	EPDM Артикул	FPM Артикул	FPM Артикул	
Диам	EPDM O-Ring Code	FPM O-Ring Code	FPM O-Ring Code	
63	201 07 063 4	201 08 063 4		
75	201 07 075 4	201 08 075 4		
90	201 07 090 4	201 08 090 4		
110	201 07 110 4	201 08 110 4		
125	201 07 125 4	201 08 125 4		
140	201 07 140 4	201 08 140 4		
160	201 07 160 4	201 08 160 4		
200	201 07 200 4	201 08 200 4		
225	201 07 225 4	201 08 225 4		
250	201 07 250 4	201 08 250 4		
280	201 07 280 4	201 08 280 4		
315	201 07 315 4	201 08 315 4		
*355	201 07 355 4	201 08 355 4		
*400	201 07 400 4	201 08 400 4		